

PENDING SURVEYS		
Survey	Frequency	Anticipated Timeframe
CMS Outpatient Dialysis Recertification	Annual	Unannounced anytime
CDPH 4A Licensing	Triennial	Unannounced anytime
CDPH General Acute Care Hospital Licensing	Triennial	Unannounced anytime
TJC Hospital Accreditation and Nursing Care Center Surveys	Triennial	Unannounced anytime/ window is 11/7/2022-5/7/2024
Commission on Cancer	Triennial	Scheduled/ March 28, 2024
TJC Laboratory Survey	Biennial	Window March 25 – June 25, 2024

SURVEY ACTIVITY			
-----------------	--	--	--

Survey Date	Agency	Location Surveyed	Details
1/9-11/2024	DHCS	Ward 93: OTOP Program	Awaiting written summary from annual survey

PLANS OF CORRECTION SUBMITTED	
Survey (year) or Event (date of incident)	Finding Requiring Monitoring
N/A	1. N/A




IV.

CDPH CASES – Facility Reported Events


2023 - 2024 CDPH Facility Reported Events as of 1/31/24

Yearly Totals: 2023 - 50, 2024 YTD - 4



3 Privacy Breaches and 1 Abuse Allegation reported in January 2024



V. PLAN OF CORRECTION MONITORING DATA								
Survey or Event	Finding Requiring Monitoring	Monitoring						
10/17/23 – 4A CMS Validation Survey	Failure to ensure the results of an initial positive Covid-19 test results were communicated in the language and manner the resident can fully understand, including explanation about confirmatory testing.	<p>1. 4A conducts bi-weekly COVID result reports on designated screening days. For any positive COVID results, they assess if the established workflow is followed by reviewing the filing of the SMART PHRASE.</p> <p>2. January audit results:</p>  <table border="1"> <caption>Percent 4A Smart Phrase/Workflow Followed</caption> <thead> <tr> <th>Category</th> <th>Percentage</th> </tr> </thead> <tbody> <tr> <td>Smart Phrase used:</td> <td>100</td> </tr> <tr> <td>Smart phrase not used:</td> <td>0</td> </tr> </tbody> </table>	Category	Percentage	Smart Phrase used:	100	Smart phrase not used:	0
Category	Percentage							
Smart Phrase used:	100							
Smart phrase not used:	0							